Spec / Reference	Section	Title / Definition	Status	Year	Condition / Context	USGIPv6-V1.0-Capable = M's			
						Host	Router	NPD	Effective Date
Spec / Reference	Section	USGv6-V1 Node Requirements Title / Definition	Status	Year	Condition / Context	Host	Router	NPD	Effective Date
		IPv6 Basic Requirements							
RFC2460		**IPv6 Specification**	DS	1998	IPv6-Base	**M**	**M**		2010/07
	2	IPv6 Packets: send, receive			IPv6-Base	**M**	**M**		2010/07
	2	IPv6 packet forwarding			IPv6-Base		**M**		2010/07
	4	Extension headers: processing			IPv6-Base	**M**	**M**		2010/07
	4.3	Hop-by-Hop & unrecognized options			IPv6-Base	**M**	**M**		2010/07
	4.5	Fragment headers: send, receive, process			IPv6-Base	**M**	**M**		2010/07
	4.6	Destination Options extensions			IPv6-Base	**M**	**M**		2010/07
RFC5095		**Deprecation of Type 0 Routing Headers**	PS	2007	IPv6-Base	**M**	**M**		2010/07
RFC2711		**IPv6 Router Alert Option**	PS	1999	IPv6-Base		**M**		2010/07
RFC4443		**ICMPv6**	DS	2006	IPv6-Base	**M**	**M**		2010/07
RFC4884		**Extended ICMP for Multi-Part Messages**	PS	2007		S+	S+		
RFC1981		**Path MTU Discovery for IPv6**	DS	1996	IPv6-Base	**M**	**M**		2010/07
	4	Discovery Protocol Requirements			IPv6-Base	**M**	S+		2010/07
RFC2675		**IPv6 Jumbograms**	PS	1999		O	O		
RFC4861		**Neighbor Discovery for IPv6**	DS	2006	IPv6-Base	**M**	**M**		2010/07
	4.1, 4.2	Router Discovery			IPv6-Base	**M**	**M**		2010/07
	4.6.2	Prefix Discovery			IPv6-Base	**M**	**M**		2010/07
	7.2	Address Resolution			IPv6-Base	**M**	**M**		2010/07
	7.2.5	NA and NS processing			IPv6-Base	**M**	**M**		2010/07
(RFC4862)	7.2.3	Duplicate Address Detection			IPv6-Base	**M**	**M**		2010/07
	7.3	Neighbor Unreachability Detection			IPv6-Base	**M**	**M**		2010/07
	8	Redirect functionality				S	**M**		2010/07
RFC5175		**IPv6 Router Advertisement Flags Option**	PS	2008		S	S		
RFC4191		**Default Router Preference**	PS	2005		S+	S+		
RFC3971		**Secure Neighbor Discovery**	PS	2005	SEND	c(M)	c(M)		2010/07

Spec / Reference	Section	USGv6-V1 Node Requirements Title / Definition	Status	Year	Condition / Context	Host	Router	NPD	Effective Date
		Auto Configuration							
RFC4862		**IPv6 Stateless Address Autoconfig**	DS	2007	SLAAC	c(M)			2010/07
	5.3	Creation of Link Local Addresses			SLAAC	**M**	**M**		2010/07
(RFC4861)	5.4	Duplicate Address Detection			SLAAC	**M**	**M**		2010/07
	5.5	Creation of Global Addresses			SLAAC	c(M)			2010/07
	*	Ability to Disable Creation of Global Addrs			SLAAC	c(M)			2010/07
RFC4941		**Privacy Extensions for IPv6 SLAAC**	PS	2001	SLAAC & PriAddr	c(M)			2010/07
	*	<2nd context for MIP Mobile Node>			SLAAC & MIP	c(S+)			
RFC3736		**Stateless DHCP Service for IPv6**	PS	2004	SLAAC	c(S+)			
RFC3315		**Dynamic Host Config Protocol (DHCPv6)**	PS	2003	DHCP-Client	c(M)			2010/07
	*	Ability to Administratively Disable			DHCP-Client	c(M)			2010/07
		DHCP Client Functions			DHCP-Client	c(M)			2010/07
RFC4361		**Node-specific Client IDs for DHCPv4**	PS	2006	DHCP-Client & IPv4	c(S+)			
RFC3633		**Prefix Delegation**	PS	2003	DHCP-Prefix		c(M,S+)		2010/07
		Addressing Requirements							
RFC4291		**IPv6 Addressing Architecture**	DS	2006	Addr-Arch	**M**	**M**		2010/07
RFC4007		IPv6 Scoped Address Architecture	PS	2005	Addr-Arch	**M**	**M**		2010/07
	*	Ability to manually configure Addresses			Addr-Arch	**M**	**M**		2010/07
RFC4193		Unique Local IPv6 Unicast Address	PS	2005		O	O		
RFC3879		Deprecating Site Local Addresses	PS	2004	Addr-Arch	**M**	**M**		2010/07
RFC3484		Default Address Selection for IPv6	PS	2003	Addr-Arch	**M**	**M**		2010/07
	2.1	Configurable Selection Policies				S+	S+		
RFC2526		Reserved IPv6 Subnet Anycast Addresses	PS	1999	Addr-Arch	**M**	**M**		2010/07
RFC3972		**Cryptographically Generated Addresses**	PS	2005	SEND or CGA	c(M)	c(M)		2010/07
RFC4581		(CGA) Extension Field Format	PS	2006	SEND or CGA	c(M)	c(M)		2010/07
RFC4982		(CGA) Support for Multiple Hash Algos.	PS	2007	SEND or CGA	c(M)	c(M)		2010/07

Spec / Reference	Section	USGv6-V1 Node Requirements Title / Definition	Status	Year	Condition / Context	Host	Router	NPD	Effective Date
		Application Requirements							
RFC3596		**DNS Extensions for IPv6**	DS	2003	DNS-Client	c(M)	c(M)		2010/07
	2.1	Support of AAAA records			DNS-Client	c(M)	c(M)		2010/07
	2.5	Support of ipv6.arpa PTR records			DNS-Client	c(M)	c(M)		2010/07
RFC2671		**Extension Mechanisms for DNS (EDNS0)**	PS	199	DNS-Client	c(M)	c(M)		2010/07
RFC3226		**DNSSEC and IPv6 DNS MSG Size Reqs**	PS	2001	DNS-Client	c(M)	c(M)		2010/07
RFC3986		**URI: Generic Syntax**	S-66	2005	URI	c(M)	c(M)		2010/07
RFC3493		**Basic Socket API for IPv6**	INF	2003	SOCK	c(M)			
RFC3542		Advanced Socket API for IPv6	INF	2003	SOCK & MIP	c(M)			
RFC4584		Extension to Sockets API for Mobile IPv6	INF	2006	SOCK & MIP	c(M)			
RFC3678		Socket API Extensions Multicast Source Filters	INF	2004	SOCK & SSM	c(M)			
RFC5014		Socket API for Source Address Selection	INF	2007	SOCK	c(S+)			
		Specific Applications							
RFC3596		DNS Server Functions	DS	2003	DNS-Server	c(M)	c(M)		2010/07
RFC3315		DHCPv6 Server Functions	PS	2003	DHCP-Server	c(M)	c(M)		2010/07
		Routing Protocol Requirements							
		Interior Routing Protocol							
RFC2740		**OSPF for IPv6**	PS	1999	IGW		c(M)		2010/07
RFC4552		Authentication/Confidentiality for OSPFv3	PS	2006	IGW		c(M)		2010/07
		Exterior Routing Protocol							
RFC4271		**Border Gateway Protocol 4 (BGP-4)**	DS	2006	EGW or 6PE		c(M)		2010/07
RFC1772		BGP Application in the Internet	DS	1995	EGW or 6PE		c(M)		2010/07
RFC4760		BGP Multi-Protocol Extensions	DS	2007	EGW or 6PE		c(M)		2010/07
RFC2545		BGP Multi-Protocol Extensions for IPv6 IDR	PS	1999	EGW or 6PE		c(M)		2010/07
		IP Security Requirements							
		IPsec-v3							
RFC4301		**Security Architecture for the IP**	PS	2005		**M**	**M**		2010/07
	4.1	Support of Transport Mode SAs			IGW or IPv4	**M**	c(M)		2010/07
	4.5.1	Manual SA and Key Management				**M**	**M**		2010/07
	4.5.2	Automated SA and Key Management				**M**	**M**		2010/07
RFC4303		Encapsulating Security Payload (ESP)	PS	2005	IPsec-v3	**M**	**M**		2010/07
RFC4302		Authentication Header (AH)	PS	2005	IPsec-v3	O	O		
RFC3948		UDP Encapsulation of ESP Packets	PS	2005	IPsec-v3	O	O		

Spec / Reference	Section	USGv6-V1 Node Requirements Title / Definition	Status	Year	Condition / Context	Host	Router	NPD	Effective Date
RFC4835		Cryptographic Algorithms for ESP and AH	PS	2007	IPsec-v3	**M**	**M**		2010/07
	*	(See additional 4835 requirements below)							
RFC4308		Cryptographic Suites for IPsec	PS	2005	IPsec-v3	O	O		
	2.1	VPN-A			IPsec-v3	S	S		
	2.2	VPN-B			IPsec-v3	S+	S+		
RFC4869		Suite B Cryptographic Suites for IPsec	INF	2007	IPsec-v3	O	O		
RFC4809		Requirements for an IPsec Cert Mgmnt Profile	INF	2007	IPsec-v3	S+	S+		
		IKEv2							
RFC4306		**Internet Key Exchange (IKEv2) Protocol**	PS	2005	IKEv2	**M**	**M**		2010/07
	4	Pre-shared secrets for peer authentication			IKEv2	**M**	**M**		2010/07
	4	RSA sig auth			IKEv2	**M**	**M**		2010/07
	4	NAT-T in IKEv2			IKEv2	O	O		
	3.3.3	ESN			IKEv2	**M**	**M**		2010/07
RFC4718		IKEv2 Clarifications & Impl. Guidelines	INF	2006	IKEv2	S	S		
RFC4307		Cryptographic Algorithms for IKEv2	PS	2005	IKEv2	**M**	**M**		2010/07
		(See additional 4307 requirements below)							
RFC3526		More MODP DH Groups for IKE	PS	2003	IKEv2	S	S		
RFC5114		Additional DH Groups for Use with IETF Stds	INF	2008	IKEv2	O	O		
	2.3,3.2	Diffie-Hellman MODP group 24			IKEv2	**M**	**M**		2010/07
RFC4945		Internet IPsec PKI Profile of IKEv1, IKEv2 & PKIX	PS	2007	IKEv2	S+	S+		
		Uses of Cryptographic Algorithms							
RFC2410		NULL Encryption	PS	1998		**M**	**M**		2010/07
RFC4835	3.1.1	NULL Encryption			ESP	**M**	**M**		2010/07
RFC2451		ESP CBC-mode Algorithms	PS	1998		**M**	**M**		2010/07
	2.6	3DES-CBC			ESP	**M**	**M**		2010/07
RFC4835	3.1.1	3DES-CBC			ESP	**M**	**M**		2010/07
RFC4307	3.1.1	3DES-CBC			IKEv2	**M**	**M**		2010/07
RFC3602		AES-CBC	PS	2003		**M**	**M**		2010/07
RFC4835	3.1.1	AES-CBC with 128 bit keys			ESP	**M**	**M**		2010/07
RFC4307	3.1.1	AES-CBC with 128 bit keys			IKEv2	**M**	**M**		2010/07
RFC3686		AES-CTR	PS	2004		S	S		
RFC4835	3.1.1	AES-CTR with 128-bit keys			ESP	S	S		
RFC4307	3.1.3	AES-CTR with 128-bit keys			IKEv2	S	S		
RFC4309		AES-CCM	PS	2005		O	O		
RFC4835	3.1.2	AES-CCM with 128 bit keys			ESP	O	O		

Spec / Reference	Section	USGv6-V1 Node Requirements Title / Definition	Status	Year	Condition / Context	Host	Router	NPD	Effective Date
RFC4106		AES-GCM	PS	2005		O	O		
	6	128-bit ICV			ESP	O	O		
	8.1	AES-GCM with 128 bit keys			ESP	O	O		
RFC4543		AES-GMAC	PS	2006		O	O		
	5.4	ENCR-NULL-AUTH-AES-GMAC 128 bit keys			ESP	O	O		
	5.4	AUTH-AES-GMAC with 128 bit keys			AH	O	O		
RFC2404		HMAC-SHA-1-96	PS	1998		**M**	**M**		2010/07
RFC4835	3.1.1/3.2	HMAC-SHA-1			ESP or AH	**M**	**M**		2010/07
RFC4307	3.1.1	HMAC-SHA-1			IKEv2	**M**	**M**		2010/07
RFC4307	3.1.4	HMAC-SHA-1 as a PRF			IKEv2	**M**	**M**		2010/07
RFC4868		HMAC-SHA-256	PS	2007		S+	S+		
	2.3	HMAC-SHA-256-128			ESP or AH	S+	S+		
	2.3	HMAC-SHA-256-128			IKEv2	S+	S+		
	2.4	HMAC-SHA-256 as a PRF			IKEv2	S+	S+		
RFC3566		AES-XCBC-MAC-96	PS	2003		S+	S+		
RFC4835	3.1.1/3.2	AES-XCBC-MAC-96			ESP or AH	S+	S+		
RFC4307	3.1.5	AES-XCBC-MAC-96			IKEv2	S+	S+		
RFC4434		AES-XCBC-PRF-128	PS	2006		S+	S+		
RFC4307	3.1.4	AES128-XCBC-PRF			IKEv2	S+	S+		
		Transition Mechanisms Requirements							
RFC4038		**Application Aspects of IPv6 Transition**	INF	2005	IPv4	S			
RFC4213		**Transition Mech. for Hosts & Routers**	PS	2005	IPv4	c(M)	c(M)		2010/07
	2	Dual Stack IPv4 and IPv6			IPv4	c(M)	c(M)		2010/07
	3	Configured Tunnels			IPv4	c(S)	c(M)		2010/07
RFC4891		Using IPsec to Secure IPv6-in-IPv4 Tunnels	INF	2007	IPv4	c(S)	c(M)		2010/07
RFC2473		Generic Packet Tunneling in IPv6	PS	1998	IPv4		c(M)		2010/07
RFC2784		Generic Routing Encapsulation	PS	2000	IPv4		c(S+)		
		IPv6 Provider Edge MPLS Tunneling							
RFC4798		Connecting IPv6 islands over IPv4 MPLS (6PE)	PS	2007	IPv4 & 6PE		c(M)		2010/07
		Network Management Requirements							
RFC3411		**SNMP v3 Management Framework**	S62	2002	SNMP	c(M)	**M**		2010/07
RFC3412		SNMP Message Process and Dispatch	S62	2002	SNMP	c(M)	**M**		2010/07
RFC3413		SNMP Applications	S62	2002	SNMP	c(M)	**M**		2010/07
	1.2	Command Responder			SNMP	c(M)	**M**		2010/07
	1.3	Notification Generator			SNMP	c(S)	**M**		2010/07
RFC3414		User-based Security Model for SNMPv3	S62	2002	SNMP	c(M)	**M**		2010/07

Spec / Reference	Section	USGv6-V1 Node Requirements Title / Definition	Status	Year	Condition / Context	Host	Router	NPD	Effective Date
		Management Information Bases							
RFC4293		MIB for the IP	PS	2006	SNMP	c(M)	**M**		2010/07
RFC4292		MIB for IP Forwarding Table	PS	2006	SNMP		**M**		2010/07
RFC4022		MIB for TCP	PS	2006	SNMP	c(S+)	S+		
RFC4113		MIB for UDP	PS	2005	SNMP	c(S+)	S+		
RFC4087		MIB for IP Tunnels	PS	2005	SNMP & IPv4		c(M)		2010/07
RFC4807		MIB for IPsec Policy Database Configuration	PS	2007	v3		**M**		2010/07
RFC4295		MIB for Mobile IP	PS	2006	SNMP & MIP		c(M)		2010/07
RFC3289		MIB for DiffServ	PS	2002	SNMP & DS		**M**		2010/07
		Multicast Requirements							
RFC3810		**MLD Version 2 for IPv6**	PS	2004	Mcast	**M**	**M**		2010/07
RFC3306		**Unicast-Prefix-based IPv6 Mcast Addresses**	PS	2002	Mcast	**M**	**M**		2010/07
RFC3307		**Allocation Guidelines for IPv6 Mcast Addrs**	PS	2002	Mcast	**M**	**M**		2010/07
RFC4607		**Source-Specific Multicast for IP**	PS	2006	SSM	c(M)	c(M)		2010/07
RFC4604		MLDv2 for Source Specific Multicast (SSM)	PS	2006	SSM	c(M)	c(M)		2010/07
		Protocol Independent Multicast (PIM)							
RFC4601		PIM Sparse Mode (SM)	PS	2006	SSM		c(S+)		
RFC4609		PIM-SM Security Issues / Enhancements	INF	2006	SSM		c(S)		
RFC3956		Embedding Rendezvous Point (RP) Mcast Addr	PS	2004	SSM		c(S+)		
		Mobility Requirements							
RFC3775		**Mobility Support in IPv6**	PS	2004	MIP	c(M)	c(M)		2010/07
	8.1	All Nodes as Correspondent Node			MIP	**M**			2010/07
	8.2	Route Optimization			MIP	c(M)			2010/07
	8.2	Allow route optimization to be disabled.			MIP	c(M)			2010/07
	8.3	All IPv6 Routers			MIP		**M**		2010/07
	8.4	Home Agents			MIP		c(M)		2010/07
	8.5	Mobile Nodes			MIP	c(M)			2010/07
RFC4282		The Network Access Identifier	PS	2005	MIP	c(S+)	c(S+)		
RFC4283		Mobile Node Identifier option for MIPV6	PS	2005	MIP	c(S+)	c(S+)		
RFC4877		MIPv6 Op with IKEv2 and Revised IPsec Arch	PS	2004	MIP	c(M)	c(M)		2010/07
RFC3963		Network Mobility (NEMO) Basic Support	PS	2005	NEMO		c(M)		2010/07

Spec / Reference	Section	USGv6-V1 Node Requirements Title / Definition	Status	Year	Condition / Context	Host	Router	NPD	Effective Date
		Quality of Service Requirements							
RFC2474		**Differentiated Services (DiffServ)**	PS	1988	DS	c(M)	**M**		2010/07
RFC2475		An Architecture for Differentiated Services	INF	1998	DS		S		
RFC3260		New Terminology / Clarifications for Diffserv	INF	2002	DS		S		
RFC2983		Differentiated Services and Tunnels	INF	2000	DS		S		
RFC4594		Config Guidelines for DS Service Classes	INF	2006	DS		S		
RFC3086		Def. of DiffServe Per Domain Behaviors (PDB)	INF	2001	DS		S		
RFC3140		Per Hop Behavior (PHB) Identification Codes	PS	2001	DS	c(M)	**M**		2010/07
RFC2597		Assured Forwarding PHB Group	PS	1999	DS		S+		
RFC3246		An Expedited Forwarding PHB	PS	2002	DS		S+		
RFC3247		Supplemental Info for the New EF PHB	INF	2002	DS		S+		
RFC3168		**Explicit Congestion Notification (ECN) to IP**	PS	2001	ECN	S	S+		
		Link Specific Requirements							
RFC2464		IPv6 over Ethernet	PS	1998	Link	c(M)	c(M)		2010/07
RFC2467		IPv6 over FDDI	PS	1998	Link	c(M)	c(M)		2010/07
RFC5072		IPv6 over PPP	PS	1998	Link	c(M)	c(M)		2010/07
RFC2491		IPv6 over Non-Broadcast Multiple Access (NBMA) net	PS	1999	Link	c(M)	c(M)		2010/07
RFC2492		IPv6 over ATM Networks	PS	1999	Link	c(M)	c(M)		2010/07
RFC2497		IPv6 over ARCnet	PS	1999	Link	c(M)	c(M)		2010/07
RFC2590		IPv6 over Frame Relay	PS	1999	Link	c(M)	c(M)		2010/07
RFC3146		IPv6 over IEEE 1394 Networks	PS	2001	Link	c(M)	c(M)		2010/07
RFC3572		IPv6 over MAPOS (SONET/SDH)	INF	2003	Link	c(M)	c(M)		2010/07
RFC4338		IPv6 & IPv4 over Fibre Channel	PS	2006	Link	c(M)	c(M)		2010/07
RFC4944		IPv6 over IEEE 802.15.4 Networks	PS	2007	Link	c(M)	c(M)		2010/07
		Packet Compression Technologies							
RFC2507		IP Header Compression	PS	1999		O	O		
RFC3173		IP Payload Compression Protocol (IPComp)	PS	2001		O	O		
RFC4995		RObust Header Compression (ROHC) Framework	PS	2007	ROHC	c(M)	c(M)		2010/07
RFC4996		ROHC Profile for TCP	PS	2007	ROHC	c(M)	c(M)		2010/07
RFC3095		ROHC Profiles for RTP, UDP, ESP and Uncomp	PS	2001	ROHC	c(M)	c(M)		2010/07
RFC4815		Corrections and Clarifications to RFC3095	PS	2007	ROHC	c(M)	c(M)		2010/07
RFC3843		ROHC Profile for IP Only	PS	2004	ROHC	c(S+)	c(S+)		
RFC3241		ROHC over PPP	PS	2002	ROHC & Link	c(M)	c(M)		2010/07
RFC4362		ROHC: Link Assisted for IP/UDP/RTP	PS	2006	ROHC	c(S+)	c(S+)		

Spec / Reference	Section	USGv6-V1 Node Requirements Title / Definition	Status	Year	Condition / Context	Host	Router	NPD	Effective Date
		Network Protection Device Requirements							
SP500-267	6.12.3.1	IPv6 connectivity			NPD			**M**	2010/07
SP500-267	6.12.3.2	Dual Stack			NPD			**M**	2010/07
SP500-267	6.12.3.3	Administrative Functionality			NPD			**M**	2010/07
SP500-267	6.12.3.4	Authentication and Authorization			NPD			**M**	2010/07
SP500-267	6.12.3.5	Security of Control and Comms			NPD			**M**	2010/07
SP500-267	6.12.3.6	Persistence			NPD			**M**	2010/07
SP500-267	6.12.3.7	Logging and Alerts			NPD			**M**	2010/07
SP500-267	6.12.3.8	Fragmented Packets Handling			NPD			**M**	2010/07
SP500-267	6.12.3.9	Tunneled Traffic Handling			NPD			**M**	2010/07
SP500-267	6.12.4.1.1	Port/protocol/address blocking			FW or APFW			c(M)	2010/07
SP500-267	6.12.4.1.2	Asymmetrical Blocking			FW or APFW			c(M)	2010/07
SP500-267	6.12.4.1.3	IPsec Traffic Handling			FW or APFW			c(M)	2010/07
SP500-267	6.12.4.1.4	Performance Under Load, Fail Safe			FW or APFW			c(M)	2010/07
SP500-267	6.12.4.2.1	No violation of trust barriers			APFW			c(M)	2010/07
SP500-267	6.12.4.2.2	Session Traffic Auth			APFW			c(M)	2010/07
SP500-267	6.12.4.2.3	Email, File Filtering			APFW			c(M)	2010/07
SP500-267	6.12.5.1.1	Known Attack Detection			IDS or IPS			c(M)	2010/07
SP500-267	6.12.5.1.2	Malformed pkt detection			IDS or IPS			c(M)	2010/07
SP500-267	6.12.5.1.3	Port scan detection			IDS or IPS			c(M)	2010/07
SP500-267	6.12.5.1.4	Tunneled traffic detection			IDS or IPS			c(M)	2010/07
SP500-267	6.12.5.1.5	Logging and Alerts			IDS or IPS			c(M)	2010/07
SP500-267	6.12.5.1.6	Performance Under Load, Fail Safe			IDS or IPS			c(M)	2010/07
SP500-267	6.12.5.2.1	Intrusion Prevention			IPS			c(M)	2010/07

Spec / Reference	Section	USGv6-V1 Node Requirements Title / Definition	Status	Year	Condition / Context	Host	Router	NPD	Effective Date

Router	NPD	Condition / Context	Meaning / Explanation
n/a	n/a	SLAAC - Host configuration option.	True = Node is required to support stateless address auto configuration
M	n/a	DHCP - Context	True = Node is required to support XXX
?	n/a	MIP - Node configuration option.	True = Node is required to support MobileIP.
?	n/a	IPv4 - Node configuration option.	True = Node is required to support capability to interface directly with IPv4
?	n/a	URI - Conditional.	True = Node uses Uniform Resource Identifiers in protocols, applications,
?	n/a	XXX -	True = Node is required to support XXX
?	n/a	XXX -	True = Node is required to support XXX
?	n/a	XXX -	True = Node is required to support XXX
?	n/a	XXX -	True = Node is required to support XXX
?	n/a	XXX -	True = Node is required to support XXX
?	n/a	XXX -	True = Node is required to support XXX
?	n/a	XXX -	True = Node is required to support XXX
?	n/a	XXX -	True = Node is required to support XXX
?	n/a	XXX -	True = Node is required to support XXX
?	n/a	XXX -	True = Node is required to support XXX
?	n/a	XXX -	True = Node is required to support XXX
?	n/a	XXX -	True = Node is required to support XXX
?	n/a	XXX -	True = Node is required to support XXX
?	n/a	XXX -	True = Node is required to support XXX
?	n/a	XXX -	True = Node is required to support XXX
?	n/a	XXX -	True = Node is required to support XXX
?	n/a	XXX -	True = Node is required to support XXX
?	n/a	c(M) - If condition is TRUE then MUST	True = Node is required to support XXX
?	n/a	c(S+) - If condition is TRUE then SHOULD+	True = Node is required to support XXX
?	n/a	c(S) - if condition is TRUE then SHOULD	True = Node is required to support XXX